

Work Order ID 58676

May 14, 2010 8:16:09 AM



Page 1

Item ID: D6101-005

Accept



Setup Start



Revision ID:

Stop



Item Name: Saddle Billet

Start Date: 5/14/10

Start Qty: 50.00



Cust Item ID:

Required Date: 5/31/10

Req'd Qty: 50.00



Customer:

Reference:

Approvals:

Process Plan: CLDate: 10/5/14

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D6101

Rev B

100

0.00



Purchasing

PURCHASING

Memo

0.00

Issue P/O: 8393

a) Description: Alluminum billet

b) 5.00" x 8.250" x 2.50" thick

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Grain direction along 5.00" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

CL 10/5/14 50

110

0.00



Packaging

Receive & Inspect for Damage & Mat'l Certs

Memo

0.00

Ensure material certification is attached

Per 10/5/14 50

Work Order ID 58676

May 14, 2010 8:16:09 AM



Page 2

Item ID: D6101-005

Accept



Setup Start



Revision ID:

Stop



Item Name: Saddle Billet

Start Date: 5/14/10 Start Qty: 50.00



Cust Item ID:

Required Date: 5/31/10 Req'd Qty: 50.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120



QC

Quality Control

QC6- Inspect dimensions to drawing

0.00

Memo

Ensure Material certification comply to Dwg D6101

0.00

amt 10/06/02

50

130



Packaging

Packaging

Identify as per dwg & Stock Location: MTT

0.00

Memo

0.00

amt 10/06/02

50

140



QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

10/06/04 JH

w 10-06-03

Picklist Print

May 14, 2010 8:16:09 AM

Page 1

Work Order ID: 58676



Parent Item: D6101-005



Parent Item Name: Saddle Billet



Start Date: 5/14/10

Required Date: 5/31/10


Comments: IPP A: ☐01.05.04 ☐New Issue ☐EC

Start Qty: 50.00

Required Qty: 50.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
D6101-005P  7075-T7351 8.25X5.0X2.5		Purchased	No			110	Each	0.0000	1		5/14/10 27	SC

SPECIFICATION CONTROL DRAWING



PURCHASE MATERIAL ACCORDING TO THE FOLLOWING TABLE. SPECIFY ALLOY, LENGTH x WIDTH x THICK (+0.030/-0.000), AND GRAIN DIRECTION AS SHOWN.

TOLERANCES ON ALL DIMENSIONS ARE +0.030/-0.000.

ALL DIMENSIONS ARE IN INCHES.

B ACCEPTABLE SPECIFICATIONS FOR 7075-T7351 ALUMINUM ARE AMS-QQ-A-250/12, QQ-A-250/12, OR ASTM B209

Part No.	Alloy	Length	Width	Thick	Grain Direction
D6101-001	7075-T7351 (QQ-A-250/12)	6.000	6.250	2.000	Along 6.000 Length
D6101-003	7075-T7351 (QQ-A-250/12)	7.875	6.250	2.000	Along 7.875 Length
D6101-005	7075-T7351 (QQ-A-250/12)	5.000	8.250	2.500	Along 5.000 Length
D6101-007	7075-T7351 (QQ-A-250/12)	7.750	8.250	2.500	Along 7.750 Length
D6101-009	7075-T7351 (QQ-A-250/12)	8.700	8.250	2.500	Along 8.700 Length
D6101-011	7075-T7351 (QQ-A-250/12)	9.700	8.250	2.500	Along 9.700 Length
D6101-013	7075-T7351 (QQ-A-250/12)	10.100	8.250	2.500	Along 10.10 Length
D6101-015	7075-T7351 (QQ-A-250/12)	9.450	6.250	2.500	Along 9.450 Length
D6101-017	7075-T7351 (QQ-A-250/12)	6.350	6.250	2.250	Along 6.350 Length

B

RELEASED
09/07/15/W

CL10/5/14
W10.58676

B	ADDED D6101-015/-017, ADD ASTM B209	RF	09.04.23
A	NEW ISSUE	CP	01.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D6101	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		SADDLE BILLET, 7075	NTS
DATE	09.04.23	<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP

Page 1 of 1

Shipment No:354172

Ship From: Castle Metals MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 27-MAY-10	F.O.B. ORIGIN	Freight Terms Prepaid		Carrier MANITOULIN		BOL No 354172-2	

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No 758470	Line No 1	Item No 6879.MO	Description 2.5000.PL.7075.T7351.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 8.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) X 5 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) - ALUMINUM PLATE SAW		
Purchase Order No 8393		Part Number YOUR ITEM NUMBER: D6101-005		Ordered Qty 50 PCS	Invoice Qty 50 PCS

Details							
Delivery No. 27942309	Mill	Heat Number 485532A6	Mech Id	PCS 50	Width (IN)	Length (IN)	Shipped Qty (LBS) 533.28

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date:

aml 10/06/02

17121

SHIP TO:

A M CASTLE & CO
3400 NO. WOLF ROAD
FRANKLIN PARK, IL 60131

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4173294

SOLD TO:

AM CASTLE & CO- SOLD TO
3400 NO. WOLF ROAD
FRANKLIN PARK, IL 60131

CUSTOMER PO NUMBER: 01-23160		WORK PACKAGE:	CUSTOMER PART NUMBER: 6879 A97075-60		SHIP RUN/LOAD ID: 101640/19	GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1087294	LINE ITEM: 1	SHIP DATE: 5-OCT-2009	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: Sawed Plate	
WEIGHT SHIPPED: 7196 LB	QUANTITY: 4 PCS EST.	B/L NUMBER: 2024315		GAUGE: 2.5000 IN	DIAMETER/WIDTH: 48.500 IN	LENGTH: 144.500 IN	

Certified Specifications

AMS 4078/RevG
ASTM B 209/Rev07
BSS 7055/RevA
DPS 4.713/RevAH
GSS16100/RevG/Amd1

AMS-QQ-A-250/12
ASTM B 594/Rev06
CMMP 025/RevS
EAC MS1011/RevE
MMS 159/RevN

AMS-STD-2154
BAC 5439/RevH
CSTI 006/RevC
GAMPS 9101/RevB
PS 21211/RevK

Test Code: 4297

Test Results

Lot: 485532A6 Cast 271

Drop 21

Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.6 : 71.4 (487 : 492)	58.6 : 59.1 (404 : 407)	10.4 : 11.2

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.8 Min	41.3 Max
(MS/M) :	23.7 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.19	5.5	0.04	0.01	0.01	TOT 0.05

KAISER

ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4173294

Lot: 485715A7 Cast 271 Drop 21 Ingot 4

(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.4 : 72.4 (492 : 499)	59.2 : 60.9 (408 : 420)	11.2 : 11.4

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.2 Max
(MS/M) :	23.7 Min	23.9 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	TOT	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.19	5.5	0.04	0.01	0.01		0.05

ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

TEST NOTES

7075-T7351 plate 3.501-4.000" thick, if
ultrasonically inspected, meets requirements of CMMP025 per
SDR CMMP025-KaiserT-3. 7075-T7351 plate 4.001-5.000" thick,
if ultrasonically inspected, meets requirements of CMMP025
per
SDR CMMP025-KaiserT-2.

Metal represented by this test report was immersion
ultrasonically tested from one side and meets the Class A
and Class B requirements of all specifications referenced
on this test report.

CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER DFARS 225.872-1(a), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF DFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

BILL POYNOR, LABORATORIES SUPERVISOR



Castle Metals FP

HEAT NUMBER 485532 A6
MECHANICAL ID _____
ITEM CODE 6879
LOT NUMBER _____
PO NUMBER 17121
RECEIPT DATE 10-12-09
SUPPLIER KAISER
SPECIFICATION _____
LCS no
COMMENT _____
APPROVED BT

ml
10/06/02